

REQUEST FOR QUOTE

Specifications- Knightdale Station Park Naming Rights Exterior Signage

General Conditions

1. Delivery of signs to be within 6 weeks of order confirmation.
2. Shop drawings are required for final approval prior to order confirmation.
3. Material samples required with bid submittal.
4. Pricing needed per sign type, per sign replacement part, per listing.
5. Pricing must include all shipping charges
6. Pricing for Installation must be listed separately.

Ashley Wilder Dog Park		Wake Stone Corporation Field	
Double sided (Qty. 1)		Double sided (Qty. 1)	
<u>Item</u>	<u>Cost</u>	<u>Item</u>	<u>Cost</u>
Material	\$	Material	\$
Labor/Installation	\$	Labor/Installation	\$
tax	\$	tax	\$
Total	\$	Total	\$

PSNC Energy		Wilder Plaza	
Single sided (Qty. 1)-Wall Sign		Single sided (Qty. 2)-Wall Sign	
<u>Item</u>	<u>Cost</u>	<u>Item</u>	<u>Cost</u>
Material	\$	Material	\$
Labor/Installation	\$	Labor/Installation	\$
tax	\$	tax	\$
Total	\$	Total	\$

General Material & Fabrication Specifications

1. All fonts must be Myriad Pro on all signs
2. All hardware must be vandal proof bolts, screws, lock nuts and washer.
3. All natural metal products must be clear coated with Omni Au paint.
4. Ground Sign installation must be installed to meet NC wind loads with engineered drawings submittal for approval if awarded bid.
5. Warranty on workmanship, materials and painted surfaces must be submitted with bid a minimum of 7 year excluding vandalism warranty is required.

6. Knightdale Logo Color chart for logo to be duplicated on signs.

Primary Color Palette

COATED COLORS



PMS 2935 C
C/100 M/52 Y/0 K/0
R/0 G/104 B/175
WEB 006BAF



PMS 3252 C
C/49 M/0 Y/23 K/0
R/149 G/206 B/199
WEB 95CEC7



PMS 021 C
C/0 M/65 Y/100 K/0
R/229 G/128 B/28
WEB E5801C



PMS 375 C
C/46 M/0 Y/90 K/0
R/169 G/200 B/51
WEB A9C833




PMS 225 C
C/4 M/88 Y/0 K/0
R/211 G/70 B/143
WEB D3468F



PMS Black C
C/0 M/0 Y/0 K/100
R/31 G/31 B/31
WEB 1F1F1F


NAMING RIGHTS GROUND SIGNS- WAKE STONE CORPORATION FIELD, ASHLEY WILDER DOG PARK



Description: The purpose of this sign type is to identify a specific field or park. These secondary signs are to be located near entrance points of lit soccer field and dog park at least 5 ft. from the Right of Way and positioned perpendicular to roadway to maximize vehicular visibility. Sign blade always points towards road/sidewalk side. Font – Myriad Pro on top section of sign with Town of Knightdale logo on bottom section of sign.

Material / Size / Color:

1. Cap- 4" I.D. x 4" I.D. X 1.5" square .125 gauge walls, aluminum brushed finish with 2 "x 4.5" x 4.5" blue cone fabricated from .090 aluminum and painted with Omni automotive paint to match PMS 2935C Blue color. Both cap and cone clear coated with automotive enamel to prevent oxidation.



2. 4' x 4' x 8' Nominal width, Square, Architectural Grade laminate wood post. Stain Finish: Cabots Exterior in Cedar color , VOC, Wood Toned Deck & Siding Stain, A Translucent Oil Stain to Highlight and protect wood post.
3. ½ " Solid Surface Corian Sign Material , Color name," Deep Nocturne"- jet black. Corian Sandwiced back to back with Corian Adhesive. Two pieces per sign.
4. Double sided Lettering- recessed by CNC carved, routed letters painted with Omni AU automotive silver grey. Font Style: Myriad Pro.
5. Knightdale " K" painted logo on clear acrylic and recessed ¼' in sign. Silastic and VHB adhesive applied to back of "'K".
6. Clear coated, 5/8" U channel aluminum extrusion, .125 gauge attached to post with flush stainless screws and to Corian with bolt thru stainless steel, vandal resistant, one way hardware; screw, lock nut and washers.

Naming Rights Shelter Wall Signs:




1. PSNC Energy Single sided pan sign:

10" x 129 " 1.5"" .090 gauge Aluminum Pan face sign with 7.75" Aluminum Letters, 1/4" depth painted in automotive Omni Au paint in dark grey PMC color Grey #432, clear coated pan sign, hardware and lettering for protection from elements. Lettering- stud mount thru pan and weld backs to pan. Decorative stainless steel hardware ½" bolts for decorative effect in four corners of sign. Octagonal 1.125 head and tac welded on back of pan.

2. Wilder Plaza Single sided pan sign:

10" x 120" x 1.5" .090 gauge Aluminum Pan face sign with 8" Aluminum Letters, 1/4" depth painted in automotive Omni Au paint in dark grey PMC color Grey # 432, clear coated pan sign, hardware and lettering for protection from elements. Lettering- stud mount thru pan and weld backs to pan Decorative stainless steel hardware 1/2" bolts for decorative effect in four corners of sign. Octagonal 1.125 head and tack welded on back of pan.

Side view of Pan



3. Sign mount method: 1.5" angle mounted with 3/8" lag bolts to wood beam, then sign pan attached by slipping over top and bottom angle and screwed with stainless steel screws thru sign pan into angle. No bolting to beams, except to attach angle to hold pan sign.